

Event Driven Automation Release 24.12

Connect Guide

3HE 21440 AAAA TQZZA Edition: 1 December 2024

© 2024 Nokia. Use subject to Terms available at: www.nokia.com/terms. Nokia is committed to diversity and inclusion. We are continuously reviewing our customer documentation and consulting with standards bodies to ensure that terminology is inclusive and aligned with the industry. Our future customer documentation will be updated accordingly.

This document includes Nokia proprietary and confidential information, which may not be distributed or disclosed to any third parties without the prior written consent of Nokia.

This document is intended for use by Nokia's customers ("You"/"Your") in connection with a product purchased or licensed from any company within Nokia Group of Companies. Use this document as agreed. You agree to notify Nokia of any errors you may find in this document; however, should you elect to use this document for any purpose(s) for which it is not intended, You understand and warrant that any determinations You may make or actions You may take will be based upon Your independent judgment and analysis of the content of this document.

Nokia reserves the right to make changes to this document without notice. At all times, the controlling version is the one available on Nokia's site.

No part of this document may be modified.

NO WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF AVAILABILITY, ACCURACY, RELIABILITY, TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IS MADE IN RELATION TO THE CONTENT OF THIS DOCUMENT. IN NO EVENT WILL NOKIA BE LIABLE FOR ANY DAMAGES, INCLUDING BUT NOT LIMITED TO SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL OR ANY LOSSES, SUCH AS BUT NOT LIMITED TO LOSS OF PROFIT, REVENUE, BUSINESS INTERRUPTION, BUSINESS OPPORTUNITY OR DATA THAT MAY ARISE FROM THE USE OF THIS DOCUMENT OR THE INFORMATION IN IT, EVEN IN THE CASE OF ERRORS IN OR OMISSIONS FROM THIS DOCUMENT OR ITS CONTENT.

Copyright and trademark: Nokia is a registered trademark of Nokia Corporation. Other product names mentioned in this document may be trademarks of their respective owners.

© 2024 Nokia.

Table of contents

1	About th	is document	5
	1.1 Pre	cautionary and information messages	5
2	Introduct	ion	6
3	Cloud Co	onnect Core	8
	3.1 Inst	allation	8
	3.2 Res	sources	8
	3.2.1	Plugins	9
	3.2.2	Heartbeats	9
	3.2.3	Connect interfaces	10
	3.3 Nar	nespace support	10
	3.4 Cor	nnect UI	10
	3.5 Cor	nnect integration modes	
	3.5.1	CMS-managed integration mode	11
	3.5.2	EDA-managed integration mode	11
	3.6 Tro	ubleshooting	11
4	OpenShif	t Connect plugin	13
	4.1 Pre	requisites	13
	4.2 Arc	hitecture	14
	4.3 Dep	ployment	15
	4.3.1	EDA Kubernetes preparation	15
	4.	3.1.1 Creating a service account and token	15
	4.3.2	Fetching the EDA Connect OpenShift plugin Helm charts	
	4.3.3	Deploying the plugin in OpenShift	
	4.3.4	Deployment verification	
	4.4 Ope	erational modes	
	4.4.1	Using the Transparent operational mode	19
	4.4.2	Using the Connect Network Definition operational mode	
	4.4.3	Using the NAD Annotation operational mode	
	4.5 Tro	ubleshooting	21
5	VMware	vSphere plugin	22

	5.1	Prer	equisites	
	5.2		itecture	
	5.3	Dep	loyment	23
		5.3.1	Plugin app deployment	
		5.3.2	Plugin deployment	
	5.4	Fund	ctionality	
		5.4.1	Startup	
		5.4.2	Event monitoring	
		5.4.3	Operational modes	
	5.5	Trou	bleshooting	
6	Co	onnect a	alarms	
-	6.1 Connect service alarms			
	6.2	Plug	in alarms	
		6.2.1	OpenShift plugin alarms	
		6.2.2	VMware plugin alarms	

1 About this document

This Event Driven Automation (EDA) *Connect Guide* describes the EDA Connect solution (or "Connect"), which acts as a bridge between EDA and different cloud environments.

This document is intended for network technicians, administrators, operators, service providers, and others who use EDA.



Note: This manual covers the current release and may also contain some content that will be released in later maintenance loads. See the *Event Driven Automation Release Notes* for information about features supported in each load.

1.1 Precautionary and information messages

The following are information symbols used in the documentation.



DANGER: Danger warns that the described activity or situation may result in serious personal injury or death. An electric shock hazard could exist. Before you begin work on this equipment, be aware of hazards involving electrical circuitry, be familiar with networking environments, and implement accident prevention procedures.



WARNING: Warning indicates that the described activity or situation may, or will, cause equipment damage, serious performance problems, or loss of data.



Caution: Caution indicates that the described activity or situation may reduce your component or system performance.



Note: Note provides additional operational information.



Tip: Tip provides suggestions for use or best practices.

2 Introduction

Overview

The EDA Cloud Connect solution (or "Connect") acts as a bridge between EDA and different cloud environments like Red Hat OpenShift, VMware vSphere and others.

Connect is aware of the different processes and workloads running on the servers that make up the cloud environment, while at the same time being aware of the fabric as configured on EDA itself.

This dual awareness enables Connect to configure the fabric dynamically based on workloads coming and going on the cloud platform. It does this by inspecting the cloud itself and learning the compute server, network interface and VLAN on which a specific workload is scheduled. By also learning the topology based on the LLDP information arriving in the fabric switches, it connects those two information sources.

Components

The Connect solution is built around a central service, called the Cloud Connect Core, and plugins for each supported cloud environment.

The Connect Core is responsible for managing the plugins and the relation between Connect interfaces (compute interfaces) and EDA interfaces (Fabric interfaces or Edge-Links). It keeps track of the LLDP information of EDA interfaces and correlates that back to the Connect interfaces created by plugins to identify the different physical interfaces of the computes of a cloud environment.

Connect plugins are responsible for tracking the state of compute nodes, their physical interfaces, the virtual networks created in the cloud environment and their correlation to the physical network interfaces. As applications create networks and virtual machines or containers, the plugins will inform Connect Core of the changes needed to the fabric. Plugins will also create or manage EDA bridge domains to make sure the correct subinterfaces are created for the application connectivity.

Plugins overview

Connect plugins are specifically made to inspect one type of cloud environment. While these plugins can be developed specifically targeting a custom cloud environment, Connect comes with two Nokia supported plugins:

- Connect OpenShift plugin
- Connect VMware plugin

Feature overview

Connect supports the following features:

- Creating Layer 2 EVPN Overlay Services on EDA.
- Automatically discovering the cloud compute resources and connectivity to the fabric using LLDP.
- Automatically resolving inconsistent states between Connect and the fabric by performing an audit between Connect and EDA.
- Using pre-existing LAGs in the fabric.
- Using the cloud management's standard network management tools to manage the fabric transparently.

• Using EVPN services that are managed by EDA. This is the case in which an operator provisions a service in EDA before making them available in the compute environment for use. This allows for more advanced use cases than the compute environment might support natively.

3 Cloud Connect Core

The Cloud Connect Core is deployed as part of the EDA deployment itself. It lives as an application in EDA and handles the configuration of EDA resources based on the needs of the compute environments, provided through the different plugins.

3.1 Installation

Cloud Connect is an application in the EDA app eco-system. It can be easily installed using the App Store UI.

Installation using Kubernetes API

If you prefer installing the Connect Core using the Kubernetes API, you can do so by creating the following Workflow resource:

```
apiVersion: core.eda.nokia.com/v1
kind: Workflow
metadata:
   name: connect-nokia
   namespace: eda-system
spec:
   input:
    app: connect
    catalog: eda-catalog-builtin-apps
    operation: install
    vendor: nokia
    version:
        type: semver
        value: v2.0.0
   type: app-installer
```

3.2 Resources

Connect is based on a pluggable architecture. The Cloud Connect core installation is a collection of controllers responsible for bridging the hypervisor world with the fabric world. It is the plugin that is responsible for introspecting the cloud environment.

The following Custom Resources are involved:

Custom Resources	Description		
ConnectPlugin	The logical representation of the plugin, created for each plugin automatically when the plugin starts with valid credentials.		

Custom Resources	Description
ConnectPluginActionable	An actionable is an action to be taken by the ConnectPlugin. It is used by the Core to tell the plugin to do something (for example: initiate an Audit).
ConnectPluginHeartbeat	The ConnectPlugin will continuously send heartbeats to the Cloud Connect service to report its status and alarms.
ConnectInterface	The logical representation of a hypervisor NIC and/ or LAG. The labels on the ConnectInterface are used to label the EDA interface (leaf interface) correctly so that the correct subinterfaces are created.

3.2.1 Plugins

Plugins are a core component of the Event Driven Automation (EDA) Connect environment. In the Connect environment, a plugin represents the component that communicates with the external cloud services. The following plugins are supported by EDA, and are further documented in their respective sections:

- OpenShift Connect plugin
- VMware vSphere plugin

Plugins are automatically registered within the Connect service when they are deployed. Each is stored in the database with the following main properties:

Table 2: Plugin properties	Table	2:	Plugin	prope	erties
----------------------------	-------	----	--------	-------	--------

Plugin property	Description
Name	A unique name based on the plugin type and compute environment it is connected to.
Plugin Type	The type of plugin, for example, VMware or Open Shift.
Heartbeat Interval	The interval, in seconds, between heartbeats that the plugin intends to use.
Supported actions	The different actions a plugin can support. These are actions the Core can request the plugin to do. For example, to trigger an Audit.

3.2.2 Heartbeats

When plugins register with the Connect core service, they can indicate that they support heartbeats. When a plugin supports heartbeats, the plugin is expected to send a heartbeat to the Connect core service at

an interval of the configured value (or more frequently). If the Connect core does not receive a heartbeat from the plugin after two intervals, it raises an alarm in EDA to indicate that there could be an issue with the plugin.

3.2.3 Connect interfaces

Connect interfaces are managed by the plugins and represent the network interfaces of a compute node. When a plugin notices a new compute or new network interface on a compute node, it will create a Connect interface in EDA for Connect Core to monitor.

Connect Core uses the information from the Connect interface to determine the matching EDA interface. This is the interface on a leaf managed by EDA to which the interface on the compute is connected to, or potentially multiple interfaces in case of a LAG or Bond.

The plugin will label these Connect interfaces to indicate that Connect Core needs to make sure the matching leaf interfaces have a subinterface created in the corresponding overlay service (bridge domain).

This way, only those subinterfaces that are truly necessary are configured in the fabric. This limits configuration bloat and possible security risks.

3.3 Namespace support

The EDA Connect service supports multiple namespaces. Multiple namespaces are supported on the level of the plugin.

A plugin is a namespaced object, meaning that it must be created as part of a specific namespace. That plugin will only have access to the fabrics, services and interfaces of that namespace and cannot use objects from other namespaces.

This also means that a compute cluster can only belong to a single namespace, and cannot span multiple namespaces. This is to be expected as compute clusters belong to a single fabric, and a fabric is part of a single namespace.

3.4 Connect UI

The Connect UI can be found as part of the **System Administrator** section of the EDA UI, and allows for inspection of the different resources owned and managed by Connect. This Connect UI follows the same design as the regular EDA UI, where the left menu for Connect opens and displays the different resources available.



Note:

Do not create new resources manually, as this could interfere with the behavior of the plugins.

3.5 Connect integration modes

Integration modes define how plugins create resources in EDA for use by the applications in the compute environments.

Connect supports two integration modes:

CMS-managed mode

Networking concepts of the CMS are used to create new services in EDA.

• EDA-managed mode

Network services are created in EDA and the networking concepts in the CMS are linked or associated with these pre-existing services.

Each of these modes can be used by the plugins. For the plugins provided by Nokia, both modes are supported, and you can combine them and switch between them as needed. For instance, you can use one integration mode for one application, while using the other for another application.

3.5.1 CMS-managed integration mode

In the Cloud Management mode, Connect creates an EDA bridge domain for each subnet that is created in the Cloud Management system. In this mode, the changes in the Cloud Management system are transparently reflected into EDA. The administrator of the Cloud Management system does not require any knowledge about how to use EDA.

3.5.2 EDA-managed integration mode

For more advanced use cases, a more complex EVPN Service (or set of services) may be needed. This can include features of these services that are supported by EDA, but not natively by the CMS. Examples are configuring complex routing or QoS policies, or using BGP PE/CE for route advertisement from the application into the network service.

In such cases, Nokia recommends using the EDA-managed integration mode, which instructs Connect to associate the subnets in the CMS with existing bridge domains in EDA, instead of creating new resources in EDA based on the cloud management networking.

In this mode, an administrator (or orchestration engine) with knowledge of EDA first creates the necessary resources in EDA directly. You can create more complex configurations than the cloud management system itself would be able to do. When creating the networking constructs in the Cloud Management system, you provide a set of unique identifiers referring to those pre-created networking constructs. This way, the Connect plugin and Connect service know not to create their own resources, but to use the pre-created items.

3.6 Troubleshooting

Missing ConnectPlugin for deployed plugin

If a plugin does not show up in the list of ConnectPlugins, it indicates a connection problem from the plugin toward the EDA Kubernetes cluster.

Verify the following information:

- Check the plugin logs for error messages.
- Verify the plugin's configuration, especially the Kubernetes information (location/url, certificates, user certificates and so on).

Application connectivity

An application missing connectivity can have multiple causes. The following are some of the most common causes:

- · Check whether there are any alarms reported in EDA.
- Check whether there are any TransactionResults in FAILED state.
- Check whether BridgeDomain and VLAN are up, and VLAN is showing the expected number of UP subinterfaces.
- Check the ConnectInterface corresponding to the compute node NIC where you expect to see traffic.
 - If no ConnectInterface can be found, check the plugin. It is responsible for creating the ConnectInterface.



Note: The Connect interface is located in the namespace of the Fabric.

- If a ConnectInterface can be found, check the status.
 - If the status is blank the connect-interface-controller is not online.
 - If the status is Disconnected it cannot find an EDA interface to label.
- Check the EDA interface corresponding to the NIC on the SRL that is connected to the relevant compute node.
 - If it is not found: operator has to create the "downlink" interfaces
 - If it is found: check the status
 - If no members with the LLDP info are found, check the LLDP process on the compute node and on the SRL node.

4 OpenShift Connect plugin

EDA Cloud Connect integrates with OpenShift to provide fabric-level application networks for OpenShift pods and services. The Connect integration leverages the OpenShift Multus CNI solution to support managing the fabric directly from OpenShift and making the fabric dynamically respond to the networking needs of the application.

OpenShift provides the following advantages and capabilities:

- · Direct integration into the network management workflow of OpenShift.
- Use of the common CNIs used by enterprise applications and CNFs like IPVLAN and SR-IOV.
- · Automatic provisioning of the fabric based on where the application pods need the connectivity.
- · Support for advanced workflows.

Supported versions

The following versions of OpenShift are supported:

- Red Hat OpenShift 4.14
- Red Hat OpenShift 4.16

4.1 Prerequisites

Before using the Connect OpenShift plugin, ensure the following prerequisites are met:

- Openshift cluster is up and running.
- NMState-Operator and Multus are installed on the OpenShift cluster.



Note: For more information about the NMState Operator, see the Red Hat OpenShift documentation About the Kubernetes NMState Operator.

- EDA cluster is up and running.
- EDA Cloud Connect app is installed.
- You have access to the controller container image named ghcr.io/nokia-eda/eda-connectk8s-controller:v2.0.0.
- NMState Operator is configured to listen for LLDP TLVs. Create the following resource in your OpenShift cluster and make sure to include all interfaces in the list that are connected to leaf switches managed by EDA:

lldp: enabled: true

4.2 Architecture

The OpenShift plugin consists of a controller which monitors the following resources in OpenShift:

- The physical NIC configuration and correlation to NetworkAttachmentDefinitions through the NMState Operator.
- NetworkAttachmentDefinitions and their master interfaces.
- ConnectNetworkDefinitions for the configuration of Layer 2 and Layer 3 services configuration.

Operational modes

The OpenShift plugin supports three methods of associating NetworkAttachmentDefinitions (NADs) to EDA BridgeDomains, called Operational modes:

Operational mode	Description
Transparent association	This association does not require any information from EDA in OpenShift. For every unique master interface defined in NADs in the OpenShift Cluster, the plugin will create a unique BridgeDomain. This association only supports OpenShift Managed Mode.
Annotation based association	In this association, annotations are added to the NAD that reference an existing EDA Bridge Domain. This association only supports EDA- managed mode.
ConnectNetworkDefinition association	The ConnectNetworkDefinition is a Custom Resource Definition that gets added to the OpenShift Cluster and is used to describe the relationship between the different services and NetworkAttachmentDefinitions, and how the services relate to each other. This association supports both OpenShift-managed and EDA- managed modes.

Table 3: Operational modes



Note: It is possible to use a mix of these modes in a single OpenShift cluster, as well as switch and migrate between them.

Supported features

The following are some of the supported OpenShift features:

· CMS-managed integration mode

- · EDA-managed integration mode
- Network Attachment Definition Transparent operational mode (CMS-managed only)
- Connect Network Definition operational mode (CMS-managed and EDA Managed)
- Network Attachment Definition Annotation operational mode (EDA-managed only)
- Optimally configure subinterfaces to minimize configuration and security footprint of network services
- LAG/LACP interfaces
- VLAN Trunking
- Audits

The following are supported CNIs:

- MACVLAN
- IPVLAN
- SRIOV
- Dynamic SRIOV

4.3 Deployment

This section describes how to prepare for the deployment of the OpenShift plugin and how to deploy the plugin.

4.3.1 EDA Kubernetes preparation

4.3.1.1 Creating a service account and token

Creating a service account

The EDA Connect OpenShift plugin uses a ServiceAccount in the EDA Kubernetes cluster to create the necessary resources in the EDA cluster for the integration to work.

To create a service account in the EDA Kubernetes cluster, use the following resource.

```
apiVersion: v1
kind: ServiceAccount
metadata:
    name: k8s-controller-plugin
    namespace: eda-system
---
apiVersion: rbac.authorization.k8s.io/v1
kind: ClusterRoleBinding
metadata:
    name: k8s-controller-plugin
subjects:
    kind: ServiceAccount
    name: k8s-controller-plugin
    namespace: eda-system
roleRef:
```

```
kind: ClusterRole
# This cluster role is assumed to be already installed by connect app.
name: eda-connect-plugin-cluster-role
apiGroup: rbac.authorization.k8s.io
```



Note: This service account must be created in the eda-system namespace.

Creating a service account token

A service account token is used by the plugin to connect to the EDA Kubernetes cluster. You can create a service account token by using the following manifest, which should be applied on the EDA Kubernetes cluster.

```
apiVersion: v1
kind: Secret
type: kubernetes.io/service-account-token
metadata:
    name: k8s-controller-plugin
    annotations:
        kubernetes.io/service-account.name: k8s-controller-plugin
```

After creating the service account token, you can retrieve the actual token itself using the following command. This token will need to be provided to the plugin during deployment.

```
kubectl get secrets/k8s-controller-plugin \
    --template={{.data.token}} | base64 --decode
```

4.3.2 Fetching the EDA Connect OpenShift plugin Helm charts

About this task

There are two ways to obtain the Helm charts to deploy the EDA Connect OpenShift plugin:

Procedure

Step 1. Using the EDA Playground, which was used to install EDA, you can clone the Github repository:

make download-connect-k8s-helm-charts

Step 2. Downloading the release tarball and unpacking it:

```
curl -sL0 https://github.com/nokia-eda/connect-k8s-helm-charts/archive/refs/tags/
v2.0.0.tar.gz
tar zxf v2.0.0.tar.gz
```

4.3.3 Deploying the plugin in OpenShift

The following procedures are used on the OpenShift cluster in which the plugin needs to be deployed.

Creating a namespace for the OpenShift plugin

The OpenShift plugin uses its own namespace to separate it from other resources in the OpenShift cluster. You can create the correct namespace using the following command:

```
kubectl create namespace eda-connect-k8s-controller
```

Configuring a Pull Secret for the Controller Image

If the EDA Connect OpenShift plugin Controller image is hosted in a registry that requires authentication, a Kubernetes Secret needs to be created for OpenShift to be able to pull the image.

The following command does so for the officially hosted image with a secure read-only token to the registry.

```
export PULL_TOKEN=<PULL_TOKEN>
kubectl create secret docker-registry eda-k8s-image-secret \
    --docker-server=ghcr.io/nokia-eda/eda-connect-k8s-controller \
    -docker-username=nokia-eda-bot \
    -docker-password=${PULL_TOKEN} \
    -n eda-connect-k8s-controller
```

Setting up the local Helm values

Create a helm-values.yaml file with the following content and update the fields as appropriate:

```
controllerEnvConfig:
    connectpluginname: eda-openshift-controller-plugin
    heartbeat: "10"
    namespace: <eda-namespace> # The namespace of the Service Account in EDA
    skiptlsverify: False
    loglevel: info
    tlscertificatedata: <EDA K8s certificate data can be extracted from kubeconfig from cluster
    `certificate-authority-data`>
    tlsenabled: True
    controllerEnvSecret:
        connectHost: https://<EDA-k8s-cluster-ip or hostname>:<port> # (Caution - Do not use EDA API
    values, use EDA k8s API values)
        connectPassword: <Secret long-lived token of the service account created before>
        connectUsername: <Name of the service account based on which secret token was created>
```

The following table describes possible Helm values:

Table 4: Possible Helm values

Helm value	Description		
connectpluginname	A name for the plugin. Ensure this is a unique name within your EDA environment.		
heartbeat	The interval in seconds at which the plugin should send heartbeats. Good values are 10-30, lower values can cause extra unnecessary load on the system.		
namespace	A name of a namespace, where EDA Connect service is deployed.		

Helm value	Description
skiptlsverify	This value can be enabled to disable server TLS certificate verification when connecting to the EDA Kubernetes cluster.
tlscertificatedata	When certificate validation is enabled, this property can contain the certificate information of the EDA Kubernetes cluster, similar to what a kubeconfig would contain. This is only needed if certificate validation is enabled and if the EDA Kubernetes certificate has not been signed by a trusted authority.
tlsenabled	This value should always be set to true to ensure TLS is used to secure the communication with the EDA Kubernetes cluster.
connectHost	The URL used to reach the EDA Kubernetes cluster API.
connectPassword	The long-lived token created in <i>Creating a service account token</i> in Creating a service account and token.
connectUsername	The service account name for the account created in the <i>Creating a service account</i> in Creating a service account and token.

Deploying the OpenShift plugin using its Helm charts

You can now deploy the EDA Connect OpenShift plugin using its Helm charts with the following command:

```
helm install eda-k8s connect-k8s-helm-charts/ \
    -n eda-connect-k8s-controller \
    -f helm-values.yaml \
    --set controller.imagePullSecretName=eda-k8s-image-secret
```

4.3.4 Deployment verification

You can verify if the plugin was deployed by checking if the controller is running in the OpenShift Cluster.

<pre>\$ kubectl get pods -n connect-k8s-controller</pre>				
NAME	READY	STATUS	RESTARTS	AGE
<pre>connect-k8s-controller-manager-c8d4875bc-bpzrx</pre>	2/2	Running	0	66m

On the EDA Kubernetes environment you can verify the plugin has been registered.

<pre>\$ kubectl get connectplugins</pre>			
NAME	PROVIDED NAME	PLUGIN TYPE	AGE
470e9af1-b85b-439b-b81a-ab71a7166bb0	k8s-controller-plugin	KUBERNETES	2h

4.4 Operational modes

The OpenShift Connect plugin operates in the following operational modes:

- Transparent operational mode
- Connect Network Definition operational mode
- NAD annotation operational mode

4.4.1 Using the Transparent operational mode

To use the Transparent operational mode, create network attachment definitions (NADs) in OpenShift without any EDA Connect annotations or any reference to the NAD in a Connect Network Definition (CND).

By doing so, the plugin creates a new EDA BridgeDomain for each NAD with a unique master (+VLAN) interface. If a NAD is created for which a NAD with the same master interface and VLAN already exists, it is associated with the existing BridgeDomain.

When you remove the NAD, the EDA bridge domain is also removed.

4.4.2 Using the Connect Network Definition operational mode

Connect Network Definition (CND) is a custom resource definition (CRD) that is added to the OpenShift cluster on deployment of the plugin.

A CND contains a design of all the network services and configuration an application may need. It can be used to define EDA Routers and EDA BridgeDomain resources. For each BridgeDomain, it is possible to associate one or more NADs with it. By doing so, the plugin knows how to connect applications into different network services.

You can use the CMS-managed integration mode, the EDA-managed integration mode, or a combination of both.

Multiple CNDs can exist, for instance one per application.

Using the ConnectNetworkDefinition

The CND identifies how NADs are associated with different BridgeDomain resources. Multiple NADs can be associated with the same BridgeDomain.

Example: Multiple NADs in one BridgeDomain

The following is a sample configuration of the CND usage for multiple NetworkAttachment Definitions to be residing in a single subnet, when they belong to different master interfaces. This is an example of OpenShift Managed Mode.

```
apiVersion: connect.eda.nokia.com/v1
kind: ConnectNetworkDefinition
metadata:
   name: cnd1
spec:
   subnets:
        - name: "subnet1"
        networkAttachmentDefinitions:
```

```
- name: ipvlan-ns1/ipvlan-nad1
- name: ipvlan-ns1/ipvlan-nad2
```

Example: Multiple NADs in one BridgeDomain with VLAN Trunking

The following is a sample configuration of the CND usage for multiple NetworkAttachment Definitions to be residing in a single subnet, while using trunk VLANs.

```
apiVersion: connect.eda.nokia.com/v1
kind: ConnectNetworkDefinition
metadata:
   name: cnd2
spec:
   subnets:
        - name: "trunked-subnet1"
        networkAttachmentDefinitions:
        - name: ipvlan-ns1/ipvlan-nad1-untagged
        trunkVlans:
            - 10
            - name: sriov-ns1/sriov-nad1-untagged
        trunkVlans:
            - 20
```

Example: Using EDA-managed

The following is a sample configuration of the CND usage for multiple NetworkAttachment Definitions to be part of a single BridgeDomain that was pre-created in EDA.

```
apiVersion: connect.eda.nokia.com/v1
kind: ConnectNetworkDefinition
metadata:
   name: cnd3
spec:
   subnets:
        - name: "eda-managed-subnet1"
        linkedBridgeDomain: eda_bridgedomain_1
        networkAttachmentDefinitions:
              - name: ipvlan-ns1/ipvlan-nad1
              - name: sriov-ns1/sriov-nad1
```

4.4.3 Using the NAD Annotation operational mode

The NAD Annotation operational mode only works for the EDA-managed integration mode because it relies on an annotation on the NAD that identifies the pre-existing EDA BridgeDomain resource to which the NAD needs to be associated with.

To use this operational mode, when creating or updating a NAD, add the following annotation to it:

'connect.eda.nokia.com/bridgedomain': <eda-bridge-domain-name>

In case of VLAN trunking, a more complex annotation can be used, for example:

```
'connect.eda.nokia.com/bridgedomain': <eda-bridge-domain-name>:<vlan-id>, <eda-bridge-domain-
name-2>:<vlan-id>
```

4.5 Troubleshooting

Controller plugin not running

Verify the following items:

- Service Account Token configuration is correct.
- Connectivity between controller pod in OpenShift and the EDA cluster.
- Heartbeat interval is a non-negative integer.
- Plugin name must comply with this regex check: '([A-Za-z0-9][-A-Za-z0-9_.]*)?[A-Za-z0-9]'. It may only contain alphanumerical characters and '.', '_', '-' (dot, underscore, and dash) and must start and end with an alphanumerical character.

Nothing is created in EDA

Verify the following items:

- Plugin controller can access the NMstate API and NetworkAttachmentDefinition API on the OpenShift cluster.
- Plugin can reach EDA cluster correctly.

Plugin is not configuring the correct state

Verify the following items:

- Inspect EDA resources, such as VLAN, BridgeDomain and ConnectInterface.
- Check the logs of the plugin pod.

5 VMware vSphere plugin

The VMware vSphere plugin leverages the VMware vSphere distributed vSwitch architecture to support management of the fabric directly from the VMware vCenter and ensures that the fabric responds to the networking needs of the environment.

The VMware vSphere plugin provides the following advantages and capabilities:

- Direct integration into the network management workflow of VMware vCenter.
- The use of the common distributed vSwitches and port groups for both regular Virtual Machine NICs as well as SR-IOV use cases.
- Supports the following VLAN types for port groups.
 - None: Vlan 0
 - VLAN: (1-4094)
- Automatic provisioning of the fabric based on where the virtual machines require the connectivity.
- Support advanced workflows through the EDA-managed solution, including for VNF use cases with features like QoS, ACLs, and BGP PE-CE.
- Interconnectivity between different cloud environments, allowing for flexible network configurations.

Supported versions

- VMware vSphere 7
- VMware vSphere 8

5.1 Prerequisites

Before installing or deploying the VMware vSphere plugin components, ensure that the Cloud Connect Core application is properly installed in the cluster.

5.2 Architecture

The VMware vSphere plugin consists of two components:

- · VMware vSphere plugin app
- VMware vSphere plugin

VMware vSphere plugin app

This app runs in EDA and manages the lifecycle of the VMware vSphere plugins. It does so in the standard app model where a custom resource is used to manage the VMware vSphere plugins.

VMware vSphere plugin

The plugin itself is responsible for connecting and monitoring the VMware vCenter environment for changes. The plugin listens to the events of the following objects:

- Distributed vSwitch (dvS)
- Distributed port groups (dvPG)
- · Host to dvS associations
- · Custom attributes

Supported features

The following are some of the supported VMware vSphere features:

- CMS-managed integration mode
- EDA-managed integration mode
- · Optimally configure subinterfaces to minimize configuration and security footprint of network services
- LAG/LACP interfaces
- SRIOV interfaces
- · Audits

5.3 Deployment

To deploy the VMware vSphere plugin, complete the following tasks:

- 1. Deploy the plugin app.
- 2. Deploy the plugin.

5.3.1 Plugin app deployment

The VMware vSphere plugin app is an application in the EDA app eco-system. You can install it using the app Store UI.

Installation using Kubernetes API

If you prefer installing the Connect Core using the Kubernetes API, you can do so by creating the following Workflow resource:

```
apiVersion: core.eda.nokia.com/v1
kind: Workflow
metadata:
   name: vmware-plugin
   namespace: eda-system
spec:
   input:
    app: vmware-plugin
    catalog: eda-catalog-builtin-apps
    operation: install
    vendor: nokia
    version:
        type: semver
```

value: v2.0.0
type: app-installer

5.3.2 Plugin deployment

A prerequisite for creating a vmwarePluginInstance resource is a Secret with username and password fields that contain the account information for an account that can connect to the VMware vCenter environment and has read-only access to the cluster so that it can monitor the necessary resources.

See the following example:

```
apiVersion: v1
kind: Secret
type: Opaque
metadata:
   name: my-vmware-creds
   namespace: eda-system
data:
   username: YWRtaW4K # base64 encoded
   password: YWRtaW4K # base64 encoded
```

As the VMware vSphere plugins are managed through the operator, you can use the EDA UI to create a new VmwarePluginInstance resource under the **System Administration** \rightarrow **Connect** \rightarrow **VMware Plugins** menu item.

Alternatively, you can create the same VmwarePluginInstance resource using the following custom resource example. Make sure to replace the specified values with their relevant content.

```
apiVersion: vmware.eda.nokia.com/v1
kind: VmwarePluginInstance
metadata:
 name: my-vmware-plugin-instance # A unique name for the plugin resource (can be the same as
the spec.name, or different)
 namespace: eda-system
spec:
 externalId: example-external-id # A unique Identifier for the plugin (can be same as the
name)
 heartbeatInterval: 30
 name: example-vSphere # A unique name for the plugin
 vcsaHost: example-host # The IP address of the vCenter Server
 vcsaTlsVerify: true # To verify TLS of the VCSA.
 vcsaCertificate: "" # If the VCSA certificate is self signed, add it here to be able to
 verify from the plugin
 authSecretRef: my-vmware-creds # Credentials are hosted in a seperate Secret.
```

The plugin name and external ID must comply with the regex check of '([A-Za-z0-9][-A-Za-z0-9_.]*)?[A-Za-z0-9]' and can only contain alphanumerical characters and ., _, and -. It must start with an alphanumerical character.

5.4 Functionality

This section describes VMware vSphere plugin operations including startup, event monitoring, and the plugin's operational modes.

5.4.1 Startup

When the plugin is started, the following actions are taken by the plugin:

- The plugin registers itself with Connect, based on the provided externalID. If a matching Connect Plugin resource pre-exists, it is reused.
- The plugin performs an audit where any Connect-related state that was programmed in vCenter while the plugin was not running is synchronized with Connect.

5.4.2 Event monitoring

A plugin connects to a VMware vCenter environment and subscribes to VMware events. The plugin configures Connect and EDA based on the events it receives.

The following table describes the different event triggers and purposes.

Event trigger	Custom resource	Purpose
VLAN-tagged distributed Port Group events	BridgeDomain	In CMS-managed mode, each dvPG results in its own unique bridge domain.
VLAN-tagged distributed Port Group events	VLAN	Each dvPG with a specific VLAN tag has an EDA VLAN resource so it can be attached to the BridgeDomain.
Host NIC distributed Switch Uplink events	ConnectInterface	Each Host NIC that is added as an Uplink to a dvS triggers the creation of a Connect Interface which is mapped by Connect Core to an EDA Interface.

The uplink names must comply with the regex check of $[a-zA-Z0-9][a-zA-Z0-9._-]*[a-zA-Z0-9]$. It can only contain alphanumerical characters and " " (space), . (period), _ (underscore), and - (dash). It must also have a length of 64 characters or less.

5.4.3 Operational modes

The plugin supports the following operational modes:

- CMS-managed mode
- EDA-managed mode

These modes can be used simultaneously.

CMS-managed mode

This mode is also referred to as VMware-managed mode. When using this mode, the plugin creates a unique BridgeDomain for each VLAN-tagged dvPG in the VMware vCenter environment.

EDA-managed mode

In EDA-managed mode, a dvPG is given a special custom attribute that refers to an existing EDA Bridge Domain. When the plugin detects this custom attribute, and it refers to an existing BridgeDomain resource in EDA, it does not create a new BridgeDomain but instead associates the dvPG with the existing one. This allows for more advanced configuration of the application networks.

To use the EDA-managed mode:

- 1. Create a BridgeDomain resource in EDA with the desired settings.
- 2. When creating a distributed PortGroup in vCenter, configure a custom attribute called ConnectBridge Domain and set its value to the key of the EDA BridgeDomain.



Note: Both the key of the custom attribute and the value are case sensitive.

You can configure multiple dvPGs with the same BridgeDomain resource.

Switching between operational modes

You can switch between EDA-managed and CMS-managed modes at any time. You can switch back to CMS-managed mode by setting the ConnectBridgeDomain custom attribute to none, or by deleting the custom attribute entirely.

5.5 Troubleshooting

Plugin is not running

If an incorrect vCenter hostname or IP is configured in the VmwarePluginInstance resource, the plugin will try to connect for three minutes and crash/restart if it fails to connect. If the credentials are incorrect, the plugin will crash/restart immediately.

Verify the following items:

- · Raised plugin alarms
- · Connectivity from the EDA cluster to vCenter
- · Credentials for vCenter
- · Heartbeat interval is a positive integer
- Logs of the plugin pod

Plugin is not creating any resources in EDA

Verify the following items:

- · Raised plugin alarms
- · Connectivity from the EDA cluster to vCenter

- Logs of the plugin pod
- · Heartbeats are being updated
- Plugin staleness state field

Plugin is not configuring the correct state

Verify the following items:

- Raised plugin alarms
- Uplinks for the dvPG in vCenter are configured as active or standby; if there are no active or standby uplinks configured, the plugin will not associate any ConnectInterface with the VLAN
- Uplink names can only contain alphanumerical characters and ., _, and must have a length of 64 characters or less
- VLAN ranges are not supported on dvPGs
- EDA resources, like VLAN, BridgeDomain and ConnectInterface
- Logs of the plugin pod

6 Connect alarms

EDA Connect, both Core and the plugins, can raise alarms if something is wrong and an action is needed by the administrator. These alarms are raised through the standard EDA Alarm system.

6.1 Connect service alarms

When a plugin is registered with Connect with a HeartbeatInterval greater than or equal to one, Connect's plugin controller periodically evaluates whether the plugin is sending heartbeats as promised.

If a plugin fails to do so, the ConnectPlugin's status includes a stale=true field and the following alarm is raised:

```
apiVersion: core.eda.nokia.com/v1
kind: Alarm
metadata:
 name: <plugin_name>-stale-alarm
 namespace: <plugin_namespace>
spec:
 description: This alarm is raised when a plugin fails to send heartbeats within the Heartbeat
Interval it is registered with.
  kind: ConnectPluginStale
 name: ConnectPluginStale-<plugin name>
 objectKind: ConnectPlugin
 objectName: <plugin_name>
 probableCause: This alarm is likely to be triggered when the plugin has lost connection to
 EDA, or when the plugin is in a bad state.
 remedialAction: Check the plugin's connection to the EDA system. If there are no connection
issues, try restarting the plugin.
 severity: critical
```

6.2 Plugin alarms

This section describes the OpenShift and VMware plugin alarms.

6.2.1 OpenShift plugin alarms

The OpenShift plugin can raise the following alarms:

Table 6:	OpenShift	plugin	alarms
----------	-----------	--------	--------

Alarm	Description
ConnectResourceConflict	Raised when a conflict is found between the configuration in the plugin versus the expected configuration in EDA.

Alarm	Description
ConnectEdaManagedBridgeDomainNotFound	Raised when EDA-managed is used and a Bridge Domain name is provided that does not exist in the namespace the plugin is registered in.
ConnectMissingHostInterface	Raised when a NAD references an interface, but it does not exist or is invalid.
ConnectMisconfiguration	Generic alarm for any misconfiguration found in a CND or NAD Annotation.
ConnectMissingLLDPNeighbor	Raised if the plugin cannot read the LLDP information from NMState for a specific interface.

6.2.2 VMware plugin alarms

The VMware plugin can raise the following alarms:

Table 7: VMware plugin alarms

Alarms	Description
ConnectCmsConnectivityFailure	The plugin fails to connect to the VMware vCenter.
ConnectCmsAuthenticationFailure	The plugin fails to authenticate to the VMware v Center.
ConnectDvpUplinkValidationFailure	An invalid Uplink configuration is found for a dv Switch or dvPortGroup or both.
ConnectEdaManagedBridgeDomainNotFound	Raised when EDA-managed is used and a Bridge Domain name is provided that does not exist in the namespace the plugin is registered in.

Customer document and product support



Customer documentation Customer documentation welcome page



Technical support Product support portal



Documentation feedback Customer documentation feedback