

Show Commands

```

show
  — service
    — egress-label start-label [end-label]
    — id service-id
      — all
      — authentication
      — base
      — bgp-vpws
      — endpoint [endpoint-name]
      — labels
      — retailers
      — sap sap-id [detail]
      — sdp [[sdp-id[:vc-id] | far-end ip-address] [mrp] [detail]]
      — stp [sap-id] [detail]
      — spoke-sdp-fec [[1..4294967295]
      — vccv-bfd session [detail]
      — wholesalers
    — ingress-label start-label [end-label]
    — sap-using [sap sap-id]
    — sap-using interface [ip-address | ip-int-name]
    — sap-using [ingress | egress] atm-td-profile td-profile-id
    — sap-using [ingress | egress] filter filter-id
    — sap-using [ingress | egress] qos-policy qos-policy-id
    — sap-using authentication-policy policy-name
    — sdp [[sdp-id[:vc-id] | far-end ip-address] [mrp] [detail]]
    — sdp-using [sdp-id[:vc-id] | far-end ip-address]
    — sdp
      — sdp sdp-id pw-port [pw-port-id]
      — sdp sdp-id pw-port
      — sdp sdp-id pw-port [pw-port-id] [statistics]
      — sdp [consistent | inconsistent | na] egressifs
      — sdp sdp-id keep-alive-history
      — sdp far-end ip-address | ipv6-address keep-alive-history
      — sdp [sdp-id] detail
      — sdp far-end ip-address | ipv6-address detail
    — service-using [epipe] [ies] [vpls] [vprn] [mirror] [apipe] [fpipe] [ipipe] [cpipe] [sdp sdp-id]
      [customer customer-id]
    — spoke-sdp-fec-using [spoke-sdp-fec-id spoke-sdp-fec-id] [saii-type2 global-id:prefix:ac-id]
      [taii-type2 global-id:prefix:ac-id] [path name]
  — pw-port
    — pw-port [pw-port-id] [detail]
    — pw-port sdp [sdp-id]
    — pw-port sdp none

show
  — connection-profile [conn-prof-id]

```

Clear Commands

```
clear
  — service
    — id service-id
      — arp
      — host-tracking [sap sap-id] [host ip-address]
      — mesh-sdp sdp-id[:vc-id] ingress-vc-label
      — spoke-sdp sdp-id:vc-id [ingress-vc-label] [I2tpv3]
    — statistics
      — id service-id
        — counters
        — spoke-sdp sdp-id:vc-id {all | counters | stp}
      — sap sap-id {all | counters | stp}
      — sdp sdp-id keep-alive
```

Debug Commands

```
debug
  — service
    — id service-id
      — [no] sap sap-id
        — [no] event-type {arp | config-change | oper-status-change}
      — [no] sdp sdp-id:vc-id
```

Tools Commands

```
tools
  — dump
    — epipe-map-access-to-egress-port {service target-svc-id [end-service end-svc-id]} | lag lag-id
```