

RADIUS Triggered Dynamic Data Services Command Reference

Configuration Commands

RADIUS Triggered Dynamic Data Services Commands

```

config
  — service
    — dynamic-services
      — dynamic-services-policy dynsrv-policy-name [create]
      — no dynamic-services-policy dynsrv-policy-name
        — accounting-1
          — server-policy policy-name
          — no server-policy
          — stats-type {time | volume-time}
          — no stats-type
          — update-interval [hrs hours] [min minutes] [days days]
          — no update-interval
          — update-interval-jitter absolute seconds
          — no update-interval-jitter
        — accounting-2
          — server-policy policy-name
          — no server-policy
          — stats-type {time|volume-time}
          — no stats-type
          — update-interval [hrs hours] [min minutes] [days days]
          — no update-interval
          — update-interval-jitter absolute seconds
          — no update-interval-jitter
        — cli-user name
        — no cli-user
        — description description-string
        — no description
        — sap-limit [0..131072]
        — no sap-limit
        — script-policy name
        — no script-policy
      — service-range service-id service-id
      — no service-range
      — timers
        — setup-timeout access-accept timeout
        — no setup-timeout

```

```

config
  — system

```

RADIUS Triggered Dynamic Data Services Command Reference

- **security**
 - **password**
 - **dynsvc-password** *password* [**hash**|**hash2**]
 - **no dynsvc-password**
- <global>
- [**no**] **enable-dynamic-services-config**

Show Commands

```
show
  — service
    — dynamic-services
      — dynamic-services-policy [policy-name]
      — root-objects
      — saps [control-sessionacct-session-id] [port port-id] [dynsvc-policy policy-name]
        [summary] [orphaned] [sap sap-id] [svc-id service-id]
      — script
        — snippets [detail]
        — snippets name snippet-name [instance snippet-instance] [detail]
        — statistics
      — summary
    — sap-using [msap] [dyn-script] [description]
```

Tools Commands

```
tools
  — perfrom
      — service
          — dynamic-services
              — evaluate-script sap sap-id control-session acct-session-id action script-
                action [dynsvc-policy name] [param-string string]

  — dump
      — service
          — dynamic-services
```

Clear Commands

```
clear
  — services
      — statistics
          — dynamic-services
```

Debug Commands

```
debug
  — [no] dynamic-services
      — scripts
          — [no] event
              — [no] cli
              — [no] errors
              — [no] executed-cmd
              — [no] state-change
              — [no] warnings
          — instance instance
              — [no] event
                  — [no] cli
                  — [no] errors
                  — [no] executed-cmd
                  — [no] state-change
                  — [no] warnings
          — script script
              — [no] event
                  — [no] cli
                  — [no] errors
                  — [no] executed-cmd
                  — [no] state-change
                  — [no] warnings
```