

Glossary

The following terms and acronyms describe the operation and maintenance of RET/FCC and ad insertion configurations are presented for reference purposes.

| | |
|-------------------------|--|
| AA-ISA | Application Aware Integrated Service Adapter |
| AA-Sub | The AA-ISA view of the AA context. Supported AA-sub types include ESM and SAPs, which mapped directly to divert contexts, spoke-SDP as AA-sub divert context, transit AA-sub type within a parent AA-sub divert context. |
| Parent AA-Sub | A SAP/SDP diverted to AA containing transit AA subs. |
| Transit AA Sub | An ISA local AA sub contained within a parent AA sub. There will be two types of transit AA subs: <ul style="list-style-type: none">• Transit IP AA-sub— Defined by transit IP policy as one or more /32 IP addresses per sub. |
| ADI | Ad Insertion |
| ADI-LZ | Ad Insertion Local and Zoned |
| Avail | An “available” part of the program stream where an authorized operator is allowed to replace the stream. A time space offered to cable operators by cable programming services during a program for use by the CATV operator; the time can be sold to local advertisers or used for channel self promotion. |
| BTV | Broadcast Television |
| DPI | Digital Program Insertion |
| Duplicate stream | Two or more streams where the SSRC and group are identical. |

| | |
|--------------------------|--|
| DRM | Digital Rights Management |
| DSLAM | Digital Subscriber Line Access Multiplexer |
| ES | Elementary Stream |
| ESM | Enhanced Subscriber Management |
| FCC | Fast Channel Change |
| GOP | Group of Pictures |
| HD | High Definition |
| HGW | Home Gateway |
| IPTV | Internet Protocol Television |
| ISA | Integrated Services Adapter |
| LoT | Loss of Transmission |
| MSTV | Microsoft Television |
| NTP | Network Time Protocol |
| PID | Packet Identifier |
| PMT | Program Map Table |
| PON | Passive Optical Network |
| RAM | Reporting and analysis manager |
| RG | Routed Gateway |
| RET | Retransmission |
| RTCP | RTP Control Protocol |
| RTP | Real-Time Transport Protocol |
| SAP | Subscriber or service access point |
| Service Selection | One service may have many component streams (which undergo selection). |
| SSRC | Synchronization source |

Stream Source A sequence of packets which comprise a service. A stream can have different sources.

STB Set Top Box

TS Transport Stream

VoD Video-on-Demand

VQM Video Quality Monitoring

